#### Dr. Ben Sessa MD

Child and Adolescent Psychiatrist
MDMA Researcher at Bristol, Cardiff and Imperial
College London Universities, UK



SSA Conference 15<sup>th</sup> October 2017 Newcastle, UK

# From Childhood Trauma to Adult Addiction:

Finding A Way
Forward With
MDMA
Psychotherapy



#### Contents

- Child abuse, trauma and child development
- The Burden of Trauma and Alcohol
- MDMA Antibiotic Therapy
- How MDMA treats trauma
- The BIMA Study
- Will MDMA work for addictions?
- The Psychedelic Renaissance
- A Career in Psychedelic Science

#### DID YOU KNOW?



THERE IS A STRONGER LINK BETWEEN CHILDHOOD TRAUMA AND ADDICTION, THEN THERE IS BETWEEN OBESITY AND DIABETES. TWO THIRDS OF ADDICTS REPORT BEING ABUSED AS CHILDREN. THAT MEANS THAT THE WAR ON DRUGS IS A WAR ON TRAUMATIZED PEOPLE THAT JUST NEED HELP.

#### My Personal Trajectory

- Adolescent interest in psychedelic culture.
- Medical training.
- Psychiatry.
- What happened to Psychiatric LSD?
- Child and Adolescent Psychiatry.
- Child abuse and maltreatment. Tackling stigma.



- Psychopharmacology research.
- Adult Substance Misuse. Same cohort as my CAMHS patients.
- MDMA Therapy

#### Fear, distortion of self and insecurity....



- Sexual abuse
- Physical abuse
- Emotional abuse
- Neglect



- Insecure attachment relationship
  - Feeling unloved and unlovable
  - Feeling unsafe
- Infantile Attachment is your Blueprint For Life

#### Unstable Psychological and Social Environments....







- Parental criminality
- Parental mental illness
- Domestic Violence
- Parental Substance Misuse
- Unemployment
- Poor housing
- Race and social exclusion
- Poor education













#### Fear, Trauma and the Developing Brain:

The Prefrontal Cortex versus The Amygdala




#### Fear, Trauma and the Developing Brain:

The Prefrontal Cortex Versus The Amygdala



Trauma

#### The Clinical Burden of PTSD



- The lifetime prevalence up to 10%
- Much higher in combat countries
- Polypharmacy
- Poly-psychotherapies
- High rates of self-harm and suicide
- Poor engagement on psychological inputs
- 50% treatment resistance

#### The Killer Legal High:



## The Clinical, Social and Financial Burden of Alcohol Dependence



- One quarter of adults consume alcohol harmfully.
- 6% of men and 2% of women are **dependent**.
- Self-medication for Undiagnosed PTSD.
- Impact on employment, family and community.
- 10,000 alcohol-related deaths in UK annually.
- Costs around £20 billion a year in England alone.
- 'The UK's drinks industry is the US's N.R.A.'.




After 100 years of modern Psychiatry

This is not good enough!


So where are we going wrong?






#### Trauma:

Where is Psychiatry's Antibiotic?





#### MDMA



## 3,4 Methylenedioxymethamphetamine (MDMA)





#### The 'Perfect Tool' for Trauma Psychotherapy

- •Synthetic phenethylamine psychedelic stimulant drug.
- Short acting
- Less perceptually disturbing than classical psychedelics
- Almost always pleasurable
- Safe in therapeutic applications
- Access to painful traumatic memories
- Enhances empathy

Receptors or site in the brain where MDMA acts:		What are the effects?	Why this helps with psychotherapy?
Increased Serotonin:  (POSITIVE MOOD + CREATIVE THINKING)	5-HT <sub>1A</sub> 5-HT <sub>1B</sub>	<ul> <li>↓ depression</li> <li>↓ anxiety</li> <li>↓ fear (at the amygdala)</li> <li>↓ aggression and defensiveness</li> <li>↑ self-confidence</li> </ul>	<ul> <li>Less anxiety and aggression improves relationship with therapist</li> <li>Allows patient to focus on trauma without being overwhelmed by negative affect</li> </ul>
	5-HT <sub>2A</sub>	Alterations in perception of meaning	Facilitates new ways of thinking of old experiences
Increased Dopamine and Norepineprine (STIMULATION)		<ul> <li>† level of alertness</li> <li>† arousal</li> <li>† conscious registration of external stimuli (at LC)</li> </ul>	<ul> <li>Improved behavioural readiness</li> <li>Improved recall of state-dependent memories of stressful events</li> <li>Provides 'Optimum Arousal Zone'</li> </ul>
Increased alpha-1 and 2 activity (RELAXATION)		• ↑ calmness and relaxation	<ul> <li>Provides improved mental state for exploring negative cognitions</li> <li>Provides 'Optimum Arousal Zone'</li> </ul>
At the hypothalamus (EMPATHY / BONDING)		Release of oxytocin	<ul><li>Improved attachment with therapist</li><li>Improved empathy and closeness</li></ul>


#### Effects of MDMA

In summary:

Improved positive mood
Increased creative thinking
Stimulation
Relaxation
Empathy and Bonding
Well-placed to assist trauma-focused therapy

#### Fear, Trauma and the Developing Brain:


The Prefrontal Cortex Versus The Amygdala



Trauma

#### Fear, Trauma and the Developing Brain:

The Prefrontal Cortex versus The Amygdala



### MDMA

## The Bristol-Imperial MDMA-Alcohol Study (BIMA)

#### Hypothesis:

3,4-methylenedioxmethamphetamine (MDMA) can be used as a safe and effective adjunct for psychotherapy in the treatment of alcohol use disorder, for patients having undergone alcohol detoxification.

#### The Bristol MDMA-Alcoholism Project 'BIMA'



Ben Sessa, Tim Williams, Claire Durant, Laurie Higbed and David Nutt

Avon and Wiltshire NHS Trust and Imperial College, London

- 20 participants
- Open-Label Safety and Tolerability Study Design
- 8-week course of psychotherapy
- Male-Female co-therapist pair
- Two MDMA Sessions
- 125mg + 62.5mg MDMA
- Overnight stay
- Alcohol abstinence, mental health and Quality of Life follow-up measures

2-weeks pre-detox	Screening, consent and eligibility interview		
Alcohol Detox	Seven to Ten Days, carried out by local Community Alcohol Detox Team. Followed by baseline assessments.		
1 week post detox	Session 1	60-minute therapy session.	
2 weeks post detox	Session 2	60-minute therapy session	
3 weeks post detox	Session 3	MDMA-assisted therapy session 1 (~6-8 hours)	
	Session 4	Next day follow-up session (60 min) then daily phone calls 4 days.	
4 weeks post detox	Session 5	Session 5 60-minute therapy session	
5 weeks post detox	Session 6	60-minute therapy session	
6 weeks post detox	Session 7	MDMA-assisted therapy session 1 (~6-8hours)	
	Session 8	Next day follow-up session (60 min) then daily phone calls 4 days.	
7 weeks post detox	Session 9	60-minute therapy session	
8 weeks post detox	Session 10	60-minute therapy session	
3 months post detox	Face-to-face Follow-up interview		
6 months post detox	Face-to-face Follow-up interview		
9 months post detox	Face-to-face Follow-up interview		

#### Safety Profile of MDMA

- Rates of morbidity and mortality from recreational ecstasy consistently low for last 25 years.
- Risks (hyponatreamia and hyperthermia) easily controlled in clinical setting.
- Neurotoxicity scares of 1990s not born out epidemiologically and not relevant at moderate and infrequent doses.
- Clinical MDMA is not recreational ecstasy.

#### **BIMA Safety measures**




- Strict inclusion/exclusion criteria
- Monitored MDMA sessions taking place in specialist clinical research centre (CRIC) in Bristol University.
- HR, BP and temperature monitored throughout sessions.
- Clinical responsibility
  - Shared care agreement between AWP NHS Trust and Imperial College
  - Preparatory sessions, telephone contact after MDMA
- Involvement of significant other
- Crisis plan
- Specialist training in MDMA Therapy

## Why MDMA might not work to Treat Alcohol Dependence:

Lack of anecdotal evidence

- Lack of prominent <u>spiritual experience</u>
  - Osmond (1950/60s) LSD for alcohol
  - Krupitsky (1990s) Ketamine for alcohol and opiates
  - Bogenshutz (Contemporary) Psilocybin for alcohol
  - Johnson (Contemporary) Psilocybin for nicotine

The greater mystical experience...
The better the abstinence rates




### Why MDMA could work to Treat Alcohol Dependence:



- Non-specific adjunct / to enhance the psychotherapeutic relationship
- More acceptable / clinically tolerated than classicals
- Peak experience / mild spiritual experience
- Co-morbid depression and anxiety
- Trauma
- Empathy

#### The Psychedelic Renaissance

Reassessing the Role of Psychedelic Drugs in 21st Century Psychiatry and Society Second Edition



# The Psychedelic Renaissance

The All-new Ibiza.



#### **FDA designates MDMA as** "breakthrough therapy" for **PTSD**



PSYCHEDELIC STUDIES (MAPS) 15 Comments / f Share / F Tweet / Stumble / Email

Last Updated Aug 31, 2017 5:23 PM EDT

After years of labbring and experimental receased the EDA has greated

#### Is Ecstasy the Key to Treating Women with PTSD?

marie daire

Some say yes—and that the prescription could come as early as 2021.



by KELLEY MCMILLAN AUG 17, 2015

On a bright, sunny morning in June 2012, 36-year-old massage therapist Roxxann Murphy and her husband, David, 34, were driving to Oklahoma City's Myriad Botanical Gardens with their 18-month-old daughter, Romy. Almost as soon as David-blond and handsome, with light-blue eyes-turned their Honda Fit onto the highway, they saw a

#### Clinical MDMA Research is enjoying a lot of positive media attention





All clear for the decisive trial of ecstasy in PTSD patients

By Kai Kupferschmidt | Aug. 26, 2017, 6:30 PM

One of the main targets in the war on drugs could well become a drug to treat the scars of war. The U.S. Food and Drug Administration (FDA) has



#### COULD A CLUB DRUG BE THE SECRET TO CURING PTSD?

The groundbreaking, remarkably effective, and more-than-a-littletrippy new treatment for severe trauma.

BY LOUISA KAMPS MAR 1, 2017

ulie Nelson learned at an early age to keep her younger siblings quietly entertained whenever their parents locked them up in the basement of their derelict Kansas City home. Her mother and stepfather didn't want to hear a word from them while they were getting high on cocaine and methamphetamine upstairs-whether their




#### MDMA approved for final trials to treat PTSD before possible legalization

FDA could make drug legal by 2021 if phase three tests involving controlled dosage and talk therapy are shown to alleviate post-traumatic stress disorder












#### The Psychedelic Renaissance:

#### NUMBER OF SCIENTIFIC ARTICLES PUBLISHED ABOUT LSD



- Bristol Psilocybin Project 2007 2009
- Imperial Psilocybin fMRI Project 2012
- Imperial MDMA fMRI Project 2012
- Oxford Ketamine Project 2012
- Imperial LSD fMRI Project 2014
- Imperial Depression-Psilocybin 2015
- Northwick LSD Dementia Project 2015
- Northwick LSD Creativity Project 2015
- Cardiff MDMA for PTSD 2016
- Bristol MDMA for Alcoholism Project 2016
- UK MDMA-PTSD Phase 3 Project 2018
- Exeter Ketamine for Alcoholism Project 2016
- Imperial DMT project 2017
- Guernsey Psychedelic Research Project 2017
- Isle of Man Psychedelic Research project 2017





## Ten Years of UK Psychedelic Research

















## OPPORTUNE

Are You a Young Person Considering Working in Psychedelic Research?

Is it 'Career Suicide'?




























#### Imperial College BAP London





WORLD PSYCHEDELIC

**FORUM** 

of the 21st

Yale University



OF THE MIND



THE LANCET BI









